MODE





Dimmer Switches



The smooth modern lines of the Mode accessory plate will fit easily into traditional and contemporary designs alike.

Mode dimmer switches are developed largely for use with Tungsten, Halogen and Low Voltage lamps. The dimmer switches are interchangeable with the dimmer modules used in the MINIGRID range.

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454 **E-mail:** sales@scolmore.com, technical@scolmore.com

Facsimile: 01827 63362

Website: www.scolmore.com





Product Range		
Dimmer Switches For Tungsten, Halogen & Low Voltage		
CMA140	1 Gang 2 Way 400W/Va Resistive/Inductive Dimmer Switch	
CMA145	1 Gang 2 Way 250W/Va Resistive/Inductive Dimmer Switch	
CMA146	2 Gang 2 Way 250W/Va Resistive/Inductive Dimmer Switch	
CMA147	3 Gang 2 Way 250W/Va Resistive/Inductive Dimmer Switch	
CMA148	4 Gang 2 Way 250W/Va Resistive/Inductive Dimmer Switch	



CMA140, CMA145



CMA146



CMA147



CMA148

Errors & Omissions excluded. Specification is subject to change without notice.





Product Range

Dimmer Mounting Plates & Knobs (Unfurnished)

CMA145PL	1 Gang 2 Way Dimmer Plate 630W Max (Single Plate)
CMA146PL	2 Gang 2 Way Dimmer Plate 630W Max (Single Plate)
CMA147PL	3 Gang 2 Way Dimmer Plate 1200W Max (Double Plate)
CMA148PL	4 Gang 2 Way Dimmer Plate 1200W Max (Double Plate)







CMA146PL



CMA147PL



CMA148PL

Errors & Omissions excluded. Specification is subject to change without notice.

V1.0


Facsimile: 01827 63362


Website: www.scolmore.com








Product Dimensional Drawings (mm)











Facsimile: 01827 63362


Website: www.scolmore.com






Wiring Diagrams


1 Way Switched Circuit



2 Way Switched Circuit



Intermediate Switched Circuit



Errors & Omissions excluded. Specification is subject to change without notice.

V1.0

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB

Telephone: 01827 63454 **E-mail:** sales@scolmore.com, technical@scolmore.com

Facsimile: 01827 63362 Website: www.scolmore.com





Technical Specification		
Dimmer Switches For Tungsten, Halogen & Low Voltage		
Material Composition	Front Plate & Dimmer Knob: Urea	
	Rear Housing: Nylon	
	Terminals: Brass, Terminal Screws: Steel & Yellow Passivated	
Voltage	240V~ 50Hz	
Load Types	Resistive / Inductive	
Module Type	Leading Edge Technology	
Terminal Size	3.5mm ø	
Cable Size	2 x 1.5mm²	
Back Box Depth	25mm - 47mm	
Modular	Yes (MD9001, MD9010, MD9022, MD9042)	
Warranty	20 Years (Electronic Parts 1 Year)	
Anti Microbial Certified	Yes	
IP Rating	IP20	
Operational Temperature	-5° to +40°C	
Standards	The Low Voltage Directive 2006/95/EC, Modified ISO 22196	
	BS EN 60669-1:1999 + A1:2002 + A2:2008	
	EN 61000 : 1995 + A1, EN 55015 : 2000 + A1	

Additional Information

We recommend using branded tungsten halogen lamps that incorporate internal fuses. The use of inferior, non-branded lamps may require the nominal rating of the dimmer to be reduced.

When dimming low voltage lighting, this dimmer must be used with dimmable, leading edge transformers only. Always check compatibility prior to installation and if in doubt, seek advice with transformer manufacturer.

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram supplied with the relevant product.

We DO NOT recommend mixing electronic and magnetic transformers on the same dimmer switch.

All white moulded accessories are manufactured using Urea Formaldehyde, which has similar inherent properties to antimicrobial additives that inhibit the growth of infectious diseases. All products were independently tested and achieved a 99.9% kill rate across all four types of strains of bacteria - MRSA, E-Coli, Salmonella, and Klebsiella Pneumoniae.

Errors & Omissions excluded. Specification is subject to change without notice.

V1.0

Scolmore International Ltd, 1 Scolmore Park, Landsberg, Lichfield Road Ind. Estate, Tamworth, Staffordshire, B79 7XB





Scolmore International Ltd

1 Scolmore Park: Landsberg Lichfield Road Industrial Estate Tamworth, Staffordshire B79 7XB

t: 01827 63454

f: 01827 63362

e: sales@scolmore.com w: www.scolmore.com

DECLARATION OF CONFORMITY

1. Issuer Name Scolmore International Limited

2. Issuer Address 1 Scolmore Park, Landsberg,

> Lichfield Road Industrial Estate, Tamworth, Staffordshire, B79 7XB

3. Object(s) of Declaration Mode Range

> a. Group **Dimmers**

b. Model No. CMA140, CMA145, CMA146, CMA147, CMA148

4. The object of the declaration described above is in conformity with the requirements of the following Legislations:

> Document No Title

2006/95/EC Low Voltage Directive

5. All products contained within the aforementioned comply with the relevant standards and requirements listed below.

EN 55015: 2000 +A1 EN 61000: 1995 +A1 BS EN 60669-2-1: 2000

6. I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008

Signed, for and on behalf of: Scolmore International Limited

Steven Bettson BSc - Senior Technical Support Engineer

 CE_{10}







