



## *Round Pin Socket Outlets*



The smooth modern lines of the MODE accessory plate will fit easily into traditional and contemporary designs alike.

All MODE Round Pin Sockets are tested and approved to BS546 offering assured quality and safety.

## Round Pin Socket Outlets

### Product Range

#### 15A Round Pin Socket Outlet

**CMA034**

15A 1 Gang Round Pin Switched Socket Outlet

#### 5A Round Pin Socket Outlet

**CMA038**

5A 1 Gang Round Pin Socket Outlet

#### 2A Round Pin Socket Outlet

**CMA039**

2A 1 Gang Round Pin Socket Outlet



CMA034




CMA038



CMA039


## Round Pin Socket Outlets

### Product Dimensional Drawings (mm)




### Product Wiring Diagram

CMA034, CMA038



CMA039



## Round Pin Socket Outlets

### Technical Specification

#### Round Pin Socket Outlets

<b>Material Composition</b>	Front Plate, Rocker Switch & Rear Housing: Urea Terminals: Brass Terminal Screws: Steel & Yellow Passivated Internal Busbars: Formed Press Brass Silver “on-lay” Copper / Brass Contacts
<b>Voltage</b>	240V~ 50Hz
<b>Current Rating</b>	15A / 5A / 2A
<b>Terminal Size</b>	5mm ø
<b>Torque Value</b>	2.0Nm (15A) / 1.2Nm (5A) / 0.4Nm (2A)
<b>Cable Size</b>	2 x 2.5mm <sup>2</sup> / 3 x 1.5mm <sup>2</sup>
<b>Back Box Depth</b>	25mm - 47mm
<b>Warranty</b>	20 Years
<b>Anti Microbial Certified</b>	Yes
<b>IP Rating</b>	IP20
<b>Operational Temperature</b>	-5° to +40°C
<b>Standards</b>	The Low Voltage Directive 2006/95/EC BS 546:1950 Modified ISO 22196

#### Additional Information

Ensure that the mains supply is isolated before commencing installation and refer to the circuit diagram with the relevant product.

Bare earth cables must always be covered with appropriate sleeving and wired to the earth terminal.

All white moulded accessories are manufactured using Urea Formaldehyde, which has similar inherent properties to antimicrobial additives that inhibit the growth of infectious diseases. All products were independently tested and achieved a 99.9% kill rate across all four types of the strains of bacteria - MRSA, E-Coli, Salmonella, and Klebsiella Pneumoniae.

## DECLARATION OF CONFORMITY

1. *Issuer Name* Scolmore International Limited
2. *Issuer Address* 1 Scolmore Park, Landsberg,  
Lichfield Road Industrial Estate,  
Tamworth, Staffordshire, B79 7XB
3. *Object(s) of Declaration* Mode Range
  - a. *Group* Round Pin Sockets
  - b. *Model No.* CMA034, CMA038, CMA039
4. *The object of the declaration described above is in conformity with the requirements of the following Legislations:*

Document No	Title
2006/95/EC	Low Voltage Directive

5. *All products contained within the aforementioned comply with the relevant standards and requirements listed below.*

BS 546:1950

6. *I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications. The unit complies with all applicable Essential Requirements of the Directives.*

*In conjunction with the above all manufacture and process controls are in accordance with ISO 9001:2008*

Signed at, for and on behalf of: Scolmore International Limited



Steven Bettson BSc - Senior Technical Support Engineer

# CE 13